

Fiberglass Insulation

Fiberglass combines high thermal efficiency and light weight. It is a resilient, versatile, economical material excellent for use as a cavity insulation between wall, floor, and ceiling framing members.

Standard Products	R-Value	Thickness	Dimensions (Width x Length)	Sq. Ft. / Package	Package Form	Pcs. / Pkg.
Kraft Faced						
New Const. Attics	R-38	12"	16" x 48"	32.00	Batt-in-Bag	6
		12"	24" x 48"	48.00	Batt-in-Bag	6
2x10 Cathedral Ceilings	R-30C	8 1/4"	15 1/2" x 48"	50.00	Batt-in-Bag	10
New Const. Attics	R-30	10"	16" x 48"	53.33	Batt-in-Bag	10
		10"	24" x 48"	80.00	Batt-in-Bag	10
2x6 Exterior Walls	R-21	5 1/2"	15" x 93"	58.13	Batt-in-Bag	6
2x6 Exterior Walls & Floors	R-19	6 1/4"	15" x 93"	77.50	Batt-in-Bag	8
		6 1/4"	23" x 93"	118.83	Batt-in-Bag	8
		6 1/4"	15" x 39' 2"	48.96	Cont. Roll	1
		6 1/4"	23" x 39' 2"	75.07	Cont. Roll	1
2x4 Exterior Walls	R-15	3 1/2"	15" x 93"	58.13	Batt-in-Bag	6
2x4 Exterior Walls	R-13	3 1/2"	15" x 93"	116.25	Batt-in-Bag	12
		3 1/2"	15" x 32'	40.00	Cont. Mini Roll	1
2x4 Ext. & Int. Walls	R-11	3 1/2"	15" x 94"	88.12	Precut Roll	1
		3 1/2"	23" x 94"	135.12	Precut Roll	1
		3 1/2"	15" x 44'	50.00	Cont. Mini Roll	1
Foil Faced						
2x6 Exterior Walls & Floors	R-19	6 1/4"	16" x 96"	85.33	Batt-in-Bag	8
	R-11	3 1/2"	16" x 96"	170.67	Batt-in-Bag	16
Unfaced						
New Const. Attics	R-38	12"	16" x 48"	32.00	Batt-in-Bag	6
		12"	24" x 48"	48.00	Batt-in-Bag	6
New Const. Attics	R-30	10"	16" x 48"	53.33	Batt-in-Bag	10
		10"	24" x 48"	80.00	Batt-in-Bag	10
Adding to Attics	R-25	8"	16" x 96"	64.00	Cont. Roll	6
		8"	24" x 96"	96.00	Cont. Roll	6
2x6 Exterior Walls & Floors	R-19	6 1/4"	16" x 96"	85.33	Batt-in-Bag	8
		6 1/4"	24" x 96"	128.00	Batt-in-Bag	8
		6 1/4"	15" x 39' 2"	48.96	Cont. Roll	1
		6 1/4"	23" x 39' 2"	75.07	Cont. Roll	1
2x4 Exterior Walls	R-13	3 1/2"	15" x 93"	116.25	Batt-in-Bag	12
2x4 Ext. & Int. Walls	R-11	3 1/2"	15" x 94"	88.12	Precut Roll	9

NOTE: Package sizes may vary by manufacturer.

*Fact sheets with specific R-values are available from your seller. The higher the R-value, the greater the insulating power. Packaging and sizes may vary with manufacturer.

**A single sheet of polyethylene film is generally considered to be a superior vapor barrier to the facings listed because of its continuous coverage over the studs.

Publisher is not liable for errors or omissions in this book. Always check your local building codes.